

Smertelindring etter ØNH-operasjon for barn og unge



Paracetamol dag 1-2

Maks: 90 mg/kg/døgn

Vekt i kg	Mikstur 24mg/ml	Tablett eller stikkpille i mg			
	4x i døgnet	Morgen	Midt på dagen	Etter-middag	Kveld/natt
10-11	9 ml	125+60	125+60	125+60	250
12-13	11 ml	250	250	250	250
14-15	13 ml	250+60	250+60	250+60	250+60
16-17	15 ml	250+125	250	250+125	250+125
18-19	16,5 ml	250+125	250+125	250+125	250+125
20-21	18,5 ml	500	250+125	250+125	500
22-23	20,5 ml	500	500	250+125	500
24-25	22,5 ml	500	500	500	500+125
26-27	24 ml	500+125	500	500	500+125
28-29	26 ml	500+125	500+125	500+125	500+125
30-31	28 ml	500+125	500+125	500+125	500+250
32-33	30 ml	500+250	500+250	500+125	500+250
34-35	31,5 ml	500+250	500+250	500+250	500+250
36-37	33,5 ml	500+250	500+250	500+250	500+250
38-39	35,5 ml	1000	500+250	500+125	1000
40-41	37,5 ml	1000	500+250	500+250	1000
42-43	39 ml	1000	1000	500+250	1000
44-45	41 ml	1000	1000	500+250	1000
46-47	43 ml	1000	1000	1000	1000
48-49	45 ml	1000	1000	1000	1000
>50	46,5 ml	1000	1000	1000	1000

Paracetamol dag 3 og utover

Maks: 60 mg/kg/døgn

Vekt i kg	Mikstur 24mg/ml	Tablett eller stikkpille i mg			
	4x i døgnet	Morgen	Midt på dagen	Etter-middag	Kveld/natt
10-11	6 ml	125	125	125	125
12-13	7,5 ml	125+60	125+60	125	125+60
14-15	8,5 ml	125+60	125+60	125+60	125+60
16-17	10 ml	250	125+60	250	250
18-19	11 ml	250	250	250	250
20-21	12,5 ml	250+60	250+60	250	250+60
22-23	13,5 ml	250+60	250+60	250+60	250+60
24-25	15 ml	250+125	250+60	250+125	250+125
26-27	16 ml	250+125	250+125	250+125	250+125
28-29	17,5 ml	250+125	250+125	250+125	500
30-31	18,5 ml	500	250+125	250+125	500
32-33	20 ml	500	500	250+125	500
34-35	21 ml	500	500	500	500
36-37	22,5 ml	500	500	500	500+125
38-39	23,5 ml	500+125	500	500	500+125
40-41	25 ml	500+125	500+125	500	500+125
42-43	26 ml	500+125	500+125	500+125	500+125
44-45	27,5 ml	500+125	500+125	500+125	500+250
46-47	28,5 ml	500+250	500+125	500+125	500+250
48-49	30 ml	500+250	500+125	500+250	500+250
>50	31 ml	500+250	500+250	500+250	500+250

Ibuprofen dag 1 og utover

Maks: 30 mg/kg/døgn

Vekt i kg	Mikstur 20mg/ml	Mikstur 40mg/ml	Tablett eller stikkpille i mg			
	4x i døgnet	4x i døgnet	Morgen	Midt på dagen	Etter-middag	Kveld/natt
10-11	3,5 ml	1,5 ml	60	60	60	60
12-13	4,5 ml	2 ml	60	60	60	125
14-15	5 ml	2,5 ml	125	60	60	125
16-17	6 ml	3 ml	125	60	125	125
18-19	6,5 ml	3 ml	125	125	125	125
20-21	7,5 ml	3,5 ml	125	125	125	125+60
Diklofenak dag 1 og utover Maks: 3 mg/kg/døgn						
22-23	8 ml	4 ml	25			25
24-25	9 ml	4,5 ml	25			25
26-27	9,5 ml	4,5 ml	25		25	25
28-29	10,5 ml	5 ml	25		25	25
30-31	11 ml	5,5 ml	25		25	25
32-33	12 ml	6 ml	25		25	25
34-35	12,5 ml	6 ml	25	25	25	25
36-37	13,5 ml	6,5 ml	25	25	25	25
38-39	14 ml	7 ml	25	25	25	25
40-41	15 ml	7,5 ml	25	25	25	25
42-43	15,5 ml	7,5 ml	50		25	50
44-45	16,5 ml	8 ml	50		25	50
46-47	17 ml	8,5 ml	50		25	50
48-49	18 ml	9 ml	50		25	50
>50	18,5 ml	9 ml	50		50	50